

**1. Identification**

**Product identifier** Manni-Plex for Papaya  
**Other means of identification**  
**Product code** 28142  
**Recommended use** Agriculture / Horticulture - Micronutrients - Refer to Product Label  
**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information****Manufacturer**

**Company name** Brandt Consolidated, Inc.  
**Address** 2935 South Koke Mill Road  
Springfield, IL 62711  
United States  
**Telephone** Corporate Office 1-217-547-5800  
**Website** www.brandt.co  
**E-mail** msds@brandt.co  
**Contact person** EH&S / Regulatory Department  
**Emergency phone number** Not available.  
CHEMTREC (24 hours):  
USA, Canada, Puerto Rico 1-800-424-3900  
Virgin Islands 1-800-424-3900  
International Maritime +1 (703) 527-3887

**2. Hazard(s) identification**

**Physical hazards** Not classified.  
**Health hazards** Skin corrosion/irritation Category 2  
Serious eye damage/eye irritation Category 2A  
**Environmental hazards** Hazardous to the aquatic environment, acute hazard Category 1  
Hazardous to the aquatic environment, long-term hazard Category 2  
**OSHA defined hazards** Not classified.

**Label elements**

**Signal word** Warning  
**Hazard statement** Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.  
**Precautionary statement**  
**Prevention** Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves. Wear eye/face protection.  
**Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.  
**Storage** Store away from incompatible materials.  
**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.  
**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information**

24.97% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 24.97% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

**3. Composition/information on ingredients****Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Manganese Nitrate		10377-66-9	5 - < 10*
Urea		57-13-6	5 - < 10*
Zinc Nitrate		7779-88-6	5 - < 10*
Cupric Nitrate		3251-23-8	3 - < 5*
Ferric Nitrate		10421-48-4	3 - < 5*
Other components below reportable levels			70 - < 80

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**4. First-aid measures**

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**5. Fire-fighting measures**

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

**6. Accidental release measures**

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	---

**Methods and materials for containment and cleaning up**

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions**

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

**7. Handling and storage****Precautions for safe handling**

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.

**Conditions for safe storage, including any incompatibilities**

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

**8. Exposure controls/personal protection****Occupational exposure limits****US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
Manganese Nitrate (CAS 10377-66-9)	Ceiling	5 mg/m <sup>3</sup>

**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
Ferric Nitrate (CAS 10421-48-4)	TWA	1 mg/m <sup>3</sup>	
Manganese Nitrate (CAS 10377-66-9)	TWA	0.1 mg/m <sup>3</sup>	Inhalable fraction.
		0.02 mg/m <sup>3</sup>	Respirable fraction.

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	Form
Cupric Nitrate (CAS 3251-23-8)	TWA	1 mg/m <sup>3</sup>	Dust and mist.
Ferric Nitrate (CAS 10421-48-4)	TWA	1 mg/m <sup>3</sup>	
Manganese Nitrate (CAS 10377-66-9)	STEL	3 mg/m <sup>3</sup>	Fume.
	TWA	1 mg/m <sup>3</sup>	Fume.

**US. AIHA Workplace Environmental Exposure Level (WEEL) Guides**

Components	Type	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m <sup>3</sup>	Total particulate.

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Face shield is recommended. Wear safety glasses with side shields (or goggles).

**Skin protection****Hand protection**

Wear appropriate chemical resistant gloves.

**Other**

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment.

<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

<b>Appearance</b>	Aqueous solution.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Brown.
<b>Odor</b>	Slight.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Salt-Out / Crystallization Temp</b>	Not available.
<b>Melting point/freezing point</b>	< 32 °F (< 0 °C) estimated
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	0.00001 hPa estimated
<b>Vapor density</b>	Not available.
<b>Relative density</b>	1.246 g/cm <sup>3</sup> (Typical)
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	100 %
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Percent volatile</b>	66.17 % estimated
<b>pH in aqueous solution</b>	5 - 7 (10% Solution)
<b>Pounds per gallon</b>	10.4 (typical)
<b>Shelf life</b>	> 2 years
<b>Specific gravity</b>	1.25 (Typical)
<b>VOC (Weight %)</b>	3 % estimated

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents.

**Hazardous decomposition products** No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

**Ingestion** Expected to be a low ingestion hazard.  
**Inhalation** Prolonged inhalation may be harmful.  
**Skin contact** Causes skin irritation.  
**Eye contact** Causes serious eye irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

### Information on toxicological effects

#### Acute toxicity

Product	Species	Test Results
Manni-Plex for Papaya (CAS Mixture)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Mouse	2693.1125 mg/kg estimated
	Rat	9021.8691 mg/kg estimated
<b>Components</b>		
<b>Species</b>		
<b>Test Results</b>		
Cupric Nitrate (CAS 3251-23-8)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	940 mg/kg
Ferric Nitrate (CAS 10421-48-4)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	3250 mg/kg
Urea (CAS 57-13-6)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	8471 mg/kg
	Sheep	28500 mg/kg
Zinc Nitrate (CAS 7779-88-6)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Mouse	241.3 mg/kg
	Rat	1400 mg/kg

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

#### Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not available.
<b>Chronic effects</b>	Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Product	Species	Test Results	
Manni-Plex for Papaya (CAS Mixture)			
<b>Aquatic</b>			
Crustacea	EC50	Daphnia	9.5879 mg/l, 48 hours estimated
Fish	LC50	Fish	25.2163 mg/l, 96 hours estimated
Components	Species	Test Results	
Cupric Nitrate (CAS 3251-23-8)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Moina dubia)	0.037 - 0.044 mg/l, 48 hours
Fish	LC50	Winter flounder (Pleuronectes americanus)	0.057 - 0.1061 mg/l, 96 hours
Urea (CAS 57-13-6)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours
Zinc Nitrate (CAS 7779-88-6)			
<b>Aquatic</b>			
Fish	LC50	Minnow (Phoxinus phoxinus)	2.7 - 3.7 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Partition coefficient n-octanol / water (log Kow)**

Urea -2.11

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

**General** Not DOT regulated in domestic (USA ground) transportation in package sizes less than 3,333 lbs (320 gallons); 1512 kg (1211 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value. IMDG Regulated Marine Pollutant.

### DOT

**Basic shipping requirements:**

**UN number** UN3082  
**Proper shipping name** Environmentally hazardous substances, liquid, n.o.s. (Cupric Nitrate RQ = 3333 lbs; Zinc Nitrate RQ = 11280 lbs)  
**Hazard class** 9  
**Packing group** III  
**Environmental hazards**  
**Marine pollutant** Yes  
**Special precautions** Read safety instructions, SDS and emergency procedures before handling.  
**Additional information:**  
**Special provisions** 8, 146, 335, IB3, T4, TP1, TP29  
**Packaging exceptions** 155  
**Packaging non bulk** 203  
**Packaging bulk** 241

**Notes** DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging sizes exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License.

### IATA

**UN number** UN3082  
**UN proper shipping name** Environmentally hazardous substances, liquid, n.o.s. (Cupric Nitrate, Zinc Nitrate)  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Packing group** III  
**Environmental hazards** No.  
**ERG Code** 5L  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.  
**Other information**  
**Passenger and cargo aircraft** Allowed.  
**Cargo aircraft only** Allowed.

### IMDG


**UN number** UN3082  
**UN proper shipping name** Environmentally hazardous substances, liquid, n.o.s. (Cupric Nitrate, Zinc Nitrate)  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Packing group** III  
**Environmental hazards**  
**Marine pollutant** Yes  
**EmS** F-A, S-Q  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**General information** Not DOT regulated in domestic (USA ground) transportation in package sizes less than 3,333 lbs (320 gallons); 1512 kg (1211 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value. IMDG Regulated Marine Pollutant.

DOT; IATA; IMDG




Marine pollutant



DOT; IATA; IMDG



Marine pollutant



## 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Cupric Nitrate (CAS 3251-23-8)	Listed.
Ferric Nitrate (CAS 10421-48-4)	Listed.
Manganese Nitrate (CAS 10377-66-9)	Listed.
Zinc Nitrate (CAS 7779-88-6)	Listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.



**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes  
 Delayed Hazard - No  
 Fire Hazard - No  
 Pressure Hazard - No  
 Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
Manganese Nitrate	10377-66-9	5 - < 10
Zinc Nitrate	7779-88-6	5 - < 10
Cupric Nitrate	3251-23-8	3 - < 5

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Manganese Nitrate (CAS 10377-66-9)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations****US. Massachusetts RTK - Substance List**

Cupric Nitrate (CAS 3251-23-8)

Ferric Nitrate (CAS 10421-48-4)

Zinc Nitrate (CAS 7779-88-6)

**US. New Jersey Worker and Community Right-to-Know Act**

Cupric Nitrate (CAS 3251-23-8)

Ferric Nitrate (CAS 10421-48-4)

Manganese Nitrate (CAS 10377-66-9)

Zinc Nitrate (CAS 7779-88-6)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Cupric Nitrate (CAS 3251-23-8)

Ferric Nitrate (CAS 10421-48-4)

Zinc Nitrate (CAS 7779-88-6)

**US. Rhode Island RTK**

Cupric Nitrate (CAS 3251-23-8)

Ferric Nitrate (CAS 10421-48-4)

Manganese Nitrate (CAS 10377-66-9)

Zinc Nitrate (CAS 7779-88-6)

**US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

<b>Issue date</b>	03-14-2014
<b>Revision date</b>	03-11-2015
<b>Version #</b>	04
<b>Disclaimer</b>	The information in the sheet was written based on the best knowledge and experience currently available.
<b>Revision Information</b>	Product and Company Identification: Alternate Trade Names