SAFETY DATA SHEET



1. Identification

1. Identification			
Product identifier	Grigg Turf Rally (16-4-8)		
Other means of identification			
Product code	30051 and 30072		
Recommended use	Turf- fertilizer		
Recommended restrictions	Refer to product label.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	Brandt Consolidated, Inc. 2935 South Koke Mill Road Springfield, IL 62711 United States		
Telephone	Corporate Office	1-217-547-5800	
Website	www.brandt.co		
E-mail	msds@brandt.co	4	
Contact person Emergency phone number	EH&S / Regulatory Departm CHEMTREC (24 hours):	ient	
	USA, Canada, Puerto Rico Virgin Islands International Maritime	1-800-424-9300 1-800-424-9300 +1 (703) 527-388	87
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, inhalation		Category 4
	Skin corrosion/irritation		Category 2
	Serious eye damage/eye irr	itation	Category 2B
	Carcinogenicity		Category 1A
	Specific target organ toxicity	, single exposure	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Causes skin irritation. Cause May cause cancer.	es eye irritation. Ha	armful if inhaled. May cause respiratory irritation.
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		

Storage

3. Composition/information on ingredients

Mixtures

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	20 - < 30*
Ammonium Sulphate		7783-20-2	10 - < 20*
Calcium Sulfate, dihydrate (Gypsum)		7778-18-9	5 - < 10*
Calcium Carbonate		471-34-1	3 - < 5*
Manganese Sulfate, monohydr	ate	10034-96-5	1 - < 3*
Quartz, Dust, Respirable Fract	on	14808-60-7	< 0.2*
Other components below repor	table levels		50 - < 60
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in artificial respiration if needed. Call a poison ce		
Skin contact		Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.	
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. Get medical attention if symptoms occur.		
Most important symptoms/effects, acute and delayed	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness and pain.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.		
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	on dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		

Use water spray to cool unopened containers.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

6. Accidental release measures

Fire fighting

equipment/instructions

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

OS. OSHA Table 2-1 Limits for Air Conta Components	Туре	Value	Form
Calcium Carbonate (CAS 471-34-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Calcium Sulfate, dihydrate (Gypsum) (CAS 7778-18-9)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Manganese Sulfate, nonohydrate (CAS 10034-96-5)	Ceiling	5 mg/m3	
Quartz, Dust, Respirable Fraction (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
JS. OSHA Table Z-3 (29 CFR 1910.1000)			
Components	Туре	Value	Form
Quartz, Dust, Respirable Fraction (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
JS. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
Calcium Sulfate, dihydrate Gypsum) (CAS 7778-18-9)	TWA	10 mg/m3	Inhalable fraction.
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m3	Inhalable fraction.
		0.02 mg/m3	Respirable fraction.
Quartz, Dust, Respirable Fraction (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Туре	Value	Form
TWA	5 mg/m3	Respirable.
	10 mg/m3	Total
TWA	5 mg/m3	Respirable.
	10 mg/m3	Total
STEL	3 mg/m3	Fume.
TWA	1 mg/m3	Fume.
TWA	0.05 mg/m3	Respirable dust.
	TWA TWA STEL TWA	TWA 5 mg/m3 TWA 5 mg/m3 TWA 5 mg/m3 TWA 5 mg/m3 10 mg/m3 10 mg/m3 STEL 3 mg/m3 TWA 1 mg/m3

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
Biological limit values	No biological exposure limits noted for the ingred	lient(s).	
Exposure guidelines	Occupational exposure to nuisance dust (total ar should be monitored and controlled.	nd respirable) and re	espirable crystalline silica
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station and safety shower.		
Individual protection measures,	such as personal protective equipment		
Eye/face protection	Chemical respirator with organic vapor cartridge,	full facepiece, dust	and mist filter.
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant clothing. Us	e of an impervious	apron is recommended.
Respiratory protection	Use a NIOSH/MSHA approved respirator if there exceeding the exposure limits. Chemical respirat dust and mist filter.		
Thermal hazards	Wear appropriate thermal protective clothing, wh	en necessary.	
General hygiene considerations	Observe any medical surveillance requirements. measures, such as washing after handling the m smoking. Routinely wash work clothing and prot	aterial and before e	ating, drinking, and/or

9. Physical and chemical properties

-	-
Appearance	Granular.
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	270.86 °F (132.7 °C) estimated
Initial boiling point and boiling	3072.2 °F (1689 °C) estimated
range	
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.

Upper/lower flammability or explosive limits

opper/lower naminability of exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00002 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Aluminum. Phosphorus.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Harmful if inhaled.
Skin contact	Causes skin irritation.
Eye contact	Causes eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity	Harmful if inhaled.	
Product	Species	Test Results
Grigg Turf Rally (16-4-8)		
Acute		
Dermal		
LD50	Rat	12500 mg/kg
Inhalation		
LC50	Rat	7.5 mg/l, 192 hours
Oral		
LD50	Rat	8720 mg/kg

Components	Species	Test Results
Calcium Carbonate (CAS 471-34	4-1)	
<u>Acute</u>		
Oral		
LD50	Rat	6450 mg/kg
Manganese Sulfate, monohydra	te (CAS 10034-96-5)	
<u>Acute</u>		
Oral		0.450 #
LD50	Rat	2150 mg/kg
Urea (CAS 57-13-6)		
<u>Acute</u>		
Oral	Det	
LD50	Rat	8471 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes eye irritation.	
Respiratory or skin sensitizati	on	
Respiratory sensitization	Due to partial or complete la	ick of data the classification is not possible.
Skin sensitization	Due to partial or complete la	ick of data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete la	ick of data the classification is not possible.
	crystalline silica or on exterr polymorphs." (IARC Monog humans, Silica, silicates dus 2003, SCOEL (the EU Scier main effect in humans of the sufficient information to con- silicosis (and, apparently, no in the ceramic industry). Th risk" (SCOEL SUM Doc 94 protection against silicosis of occupational exposure limits	cinogenicity may be dependent on inherent characteristics of the nal factors affecting its biological activity or distribution of its raphs on the evaluation of the carcinogenic risks of chemicals to at and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June ntific Committee on Occupational Exposure Limits) concluded that th e inhalation of respirable crystalline silica dust is silicosis. "There is clude that the relative risk of lung cancer is increased in persons with ot in employees without silicosis exposed to silica dust in quarries an erefore, preventing the onset of silicosis will also reduce the cancer 4-final, June 2003) According to the current state of the art, worker an be consistently assured by respecting the existing regulatory s. May cause cancer. Occupational exposure to respirable dust and hould be monitored and controlled.
IARC Monographs. Overa	I Evaluation of Carcinogenicit	y
•	le Fraction (CAS 14808-60-7) ted Substances (29 CFR 1910	1 Carcinogenic to humans. .1001-1053)
· · · · · ·	le Fraction (CAS 14808-60-7)	Cancer
	rogram (NTP) Report on Carc	
•	le Fraction (CAS 14808-60-7)	Known To Be Human Carcinogen.
Reproductive toxicity		ick of data the classification is not possible.
Specific target organ toxicity · single exposure	May cause respiratory irritat	ion.
Specific target organ toxicity · repeated exposure	Due to partial or complete la	ick of data the classification is not possible.
Aspiration hazard	Due to partial or complete la	ick of data the classification is not possible.
Chronic effects	Prolonged inhalation may be	e harmful.
12. Ecological information	on	
Ecotoxicity	The product is not classified	as environmentally hazardous. However, this does not exclude the lent spills can have a harmful or damaging effect on the environment

Product		Species	Test Results	
Grigg Turf Rally (16-4-8)				
Aquatic				
Crustacea	EC50	Daphnia	487.8802 mg/l, 48 hours estimated	
Fish	LC50	Fish	4867.2544 mg/l, 96 hours estimated	
Components		Species	Test Results	
Ammonium Sulphate (CAS 7	783-20-2)			
Aquatic				
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	52 - 67 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	35.2 - 43.8 mg/l, 96 hours	
Calcium Carbonate (CAS 47	1-34-1)			
Aquatic				
Fish	LC50	Western mosquitofish (Gambusia affinis)	> 56000 mg/l, 96 hours	
Calcium Sulfate, dihydrate (Gypsum) (CAS 7	778-18-9)		
Aquatic				
Fish	LC50	Fathead minnow (Pimephales promelas)	> 1970 mg/l, 96 hours	
Manganese Sulfate, monohy	drate (CAS 100	34-96-5)		
Aquatic				
Crustacea	EC50	Water flea (Daphnia obtusa)	30.8 - 44.1 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	36.9 mg/l, 96 hours	
			29.7 - 52.7 mg/l, 192 hours	
Urea (CAS 57-13-6)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours	
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours	
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours	
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours	
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours	
sistence and degradability	No data is av	vailable on the degradability of any ingredier	nts in the mixture.	
accumulative potential				
Partition coefficient n-octa	nol / water (log	Kow) -2.11		
pility in soil	-2.11 No data available.			
er adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
Disposal consideration	ons			
posal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.			
al disposal regulations		ccordance with all applicable regulations.		
ardous waste code	The waste co	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
ste from residues / unused ducts	product resid	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
taminated packaging	Since emptied containers may retain product residue, follow label warnings even after container emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Manganese Sulfate, monohydrate (CAS 10034-96-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Quartz, Dust, Respirable Fraction (CAS 14808-60-7)

Cancer lung effects immune system effects kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

•/ •• • • • • • • • • • • • • • • • • •	
Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation Carcinogenicity Specific target organ toxicity (single or repeated exposure)
SAPA 313 (TPI reporting)	

SARA 313 (TRI reporting)

Ammonium Sulphate 7783-20-2 10 - < 20	Chemical name	CAS number	% by wt.	
Manganese Sulfate, monohydrate 10034-96-5 1 - < 3	•			

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated. Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

California Proposition 65



WARNING: WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Quartz, Dust, Respirable Fraction (CAS 14808-60-7) Listed: October 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Quartz, Dust, Respirable Fraction (CAS 14808-60-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Revision date Version #	02-08-2019 08-06-2019 04
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.
Revision information	Physical & Chemical Properties: Multiple Properties